

Infosafe No™ 3NUAD	Issue Date : March 2015	ISSUED by NUFARMNZ
--------------------	-------------------------	--------------------

 Product Name **KAMBA® 500**

## 1. Identification

<b>GHS Product Identifier</b>	KAMBA® 500
<b>Product Code</b>	00376
<b>Product Type</b>	Herbicide
<b>Company Name</b>	Nufarm NZ
<b>Address</b>	6 Manu Street, Otahuhu Auckland 2024 New Zealand
<b>Telephone/Fax Number</b>	Tel: 0-9-270 4150 Fax: 0-9-270 4159
<b>Emergency phone number</b>	0800 651 911
<b>Email</b>	info@nz.nufarm.com
<b>Recommended use of the chemical and restrictions on use</b>	A selective herbicide for the control of difficult broadleaf weeds in cereals, maize, pasture and waste areas. (Controls atrazine resistant fathen in maize.)
<b>Other Information</b>	This SDS describes, to the best of our knowledge, the properties of the concentrated product. The physical properties and some of the assessments do not apply to the properties of the product once it has been diluted for application. Acute health effects of the diluted product are likely to be much less severe.

## 2. Hazard Identification

<b>Other Information</b>	6.1E acute toxicant, 6.3A skin irritant, 6.4A eye irritant, 6.9B target organ toxicant, 9.1A aquatic toxicant, 9.2A soil toxicant, 9.3B terrestrial vertebrate toxicant, 9.4B terrestrial invertebrate toxicant, TOXICITY Harmful - may be harmful if swallowed, inhaled or absorbed through the skin. May cause skin and eye irritation. May cause liver damage from repeated oral exposure at high doses. ECOTOXIC Very toxic to aquatic organisms. Selective herbicide - very toxic to some plant species. Toxic to terrestrial vertebrates and terrestrial invertebrates.
--------------------------	--

## 3. Composition/information on ingredients

<b>Chemical Characterization</b>	Liquid		
<b>Ingredients</b>	<u>Name</u>	<u>CAS</u>	<u>Proportion</u>
	Dicamba (present as dimethylamine salt)	1918-00-9	500 g/L
	Water		30-50 %

## 4. First-aid measures

<b>First Aid Measures</b>	For advice contact the National Poisons Centre 0800 POISON (0800 764 766) or a doctor immediately. Begin artificial respiration if the victim is not breathing. Use mouth-to-nose rather than mouth-to-mouth. Obtain medical attention.
<b>Inhalation</b>	Remove patient to fresh air. Lay down and keep warm and rested. If breathing is shallow or has stopped ensure airway is clear and apply resuscitation. Seek medical assistance immediately.
<b>Ingestion</b>	Never give anything by mouth to an unconscious person. If swallowed do NOT induce vomiting. For advice, contact the National Poisons Centre (0800 764 766). Seek medical assistance immediately.
<b>Skin</b>	Immediately flush body and clothes with large amounts of water. Remove contaminated clothing and footwear. Wash affected areas with soap and water. If a large area is affected seek medical assistance. Do not scrub the skin.
<b>Eye contact</b>	Flush eyes with plenty of water for 15 minutes holding eyelids open if necessary. Seek medical assistance. Remove contact lenses, if present and easy to do.
<b>First Aid Facilities</b>	Facilities storing or utilizing this material should be equipped with an

Infosafe No™ 3NUAD	Issue Date : March 2015	ISSUED by NUFARMNZ
--------------------	-------------------------	--------------------

Product Name **KAMBA® 500**

**Advice to Doctor**      eyewash facility and safety shower.  
Treat symptomatically.

## 5. Fire-fighting measures

**Suitable extinguishing media**      Water fog, foam, carbon dioxide or dry chemical.

**Hazards from Combustion Products**      Non-combustible.  
If involved in a fire, it will emit hydrogen chloride and possibly organochlorine compounds.

**Special Protective Equipment for fire fighters**      Full protective clothing and self-contained breathing apparatus.

**Specific Methods**      Keep up wind.      Do not allow washings to reach sewage or effluent systems.

**Hazchem Code**      2X

**Other Information**      Location Certificate: Not applicable  
Hazardous Atmosphere Zone: Not applicable  
Number of Fire Extinguishers: Not applicable

## 6. Accidental release measures

**Spills & Disposal**      Wear protective clothing. Clear area of unprotected personnel. Contain spill and absorb with sand, soil or absorbent granules. If spill does enter waterways contact the local authority. Collect in an appropriate sealable container for disposal in an approved landfill.

**Personal Protection**      For appropriate personal protective equipment (PPE), refer Section 8.

**Environmental Precautions**      Prevent from entering drains, waterways or sewers.

## 7. Handling and storage

**Precautions for Safe Handling**      Avoid skin and eye contact and inhalation of spray mist.  
APPROVED HANDLER: This product must be under the control of an approved handler when applied in a wide dispersive manner; or used by a commercial contractor.  
TRACKING: Is not required  
RECORD KEEPING: Records of use as described in NZS 8409 Management of Agrichemicals must be kept if 3 litres or more is applied within 24 hours.  
BEWARE: Spray drift hazard. Apply this product carefully. Spray drift may cause serious damage to other desirable plants.  
Do NOT spray in high winds.

**Conditions for safe storage, including any incompatibilities**      Keep out of reach of children.  
Store in original container tightly closed and in a locked, dry, cool area away from foodstuffs, fertilisers and seeds. Storage must be in accordance with NZS 8409 Management of Agrichemicals.  
Stores containing 100L of KAMBA 500 require secondary containment and are subject to signage, and more than 100L require emergency response plans.

**Other Information**      Always read the label and any attached leaflet before use.  
Aggregate Storage Volume Thresholds:  
When stored with substances of the same hazard classification the aggregate quantity must be considered. For full details refer to the current NZS8409 Management of Agrichemicals and the HSNO Regulations.

## 8. Exposure controls/personal protection

**Occupational exposure limit values**      No exposure limits (WES, TEL or EEL's) have been specifically assigned for this product.

**Appropriate engineering controls**      Handle in well ventilated areas, generally natural ventilation is adequate.

**Personal Protective Equipment**      When opening the container, preparing spray and using the prepared spray wear safety goggles, waterproof gloves, cotton overalls buttoned to the neck and wrist, washable hat, and boots.

**Hygiene Measures**      Do not eat, drink or smoke while using.  
Remove protective clothing and wash hands and face thoroughly before meals and after work. Wash protective clothing daily after work.

Infosafe No™ 3NUAD	Issue Date : March 2015	ISSUED by NUFARMNZ
--------------------	-------------------------	--------------------

 Product Name **KAMBA® 500**

## 9. Physical and chemical properties

<b>Form</b>	Liquid
<b>Appearance</b>	Amber liquid
<b>Odour</b>	Mild amine odour
<b>Melting Point</b>	-5°C
<b>Boiling Point</b>	> 108 °C
<b>Solubility in Water</b>	Soluble in water.
<b>Specific Gravity</b>	1.185 @ 20°C
<b>pH</b>	8.5
<b>Vapour Pressure</b>	Dicamba salt is not volatile
<b>Flammability</b>	Non combustible material.
<b>Other Information</b>	(SL) Soluble concentrate

## 10. Stability and reactivity

<b>Chemical Stability</b>	Stable under normal conditions of handling and storage.
<b>Incompatible Materials</b>	<p>Reaction of the concentrate or spray mix with acids will precipitate solid dicamba and largely de-activate the product and cause blockages in spray equipment.</p> <p>The addition of a strong alkali such as caustic soda will cause release of dimethylamine vapour.</p> <p>Dimethylamine is moderately toxic, LD50 (oral, rat) is 700 mg/kg and a TLV of 2 ppm (TWA) has been set.</p>
<b>Possibility of hazardous reactions</b>	Keep away from strong oxidising agents.
<b>Hazardous Polymerization</b>	Hazardous polymerisation will not occur.

## 11. Toxicological Information

<b>Toxicology Information</b>	No harmful effects are expected if the precautions on the label and this SDS are followed.
<b>Acute Toxicity - Oral</b>	LD50 (rat) 1,267 mg/kg for dicamba-dimethylammonium
<b>Acute Toxicity - Dermal</b>	LD50 (rabbit) >2000 mg/kg for dicamba
<b>Acute Toxicity - Inhalation</b>	LC50 (rat) (4hr) >9.6 mg/l for dicamba
<b>Ingestion</b>	The concentrate is of low toxicity if swallowed.
<b>Inhalation</b>	<p>Not a likely route of exposure when handling the concentrate.</p> <p>When applying the product as a spray avoid breathing in spray mist.</p>
<b>Skin</b>	Will irritate the skin.
<b>Eye</b>	<p>Will irritate the eyes.</p> <p>Prolonged contact with the concentrate may cause damage to the eye.</p>
<b>Carcinogenicity</b>	Data indicates no carcinogenic effects.
<b>Reproductive Toxicity</b>	Data indicates no reproductive effects.
<b>Chronic Effects</b>	Data indicates no teratogenic effects.
<b>Mutagenicity</b>	Myotoxic muscular spasms, urinary incontinence and if excessive, dyspnea, cyanosis and exhaustion.
<b>Other Information</b>	Data indicates no mutagenic effects.
<b>Other Information</b>	<p>The Australian Acceptable Daily Intake (ADI) for dicamba for a human is 0.03 mg/kg/day, set for the public for daily, lifetime exposure. This is based on the NOEL of 3 mg/kg/day, the level determined to show no effects during long term exposure for the most sensitive indicators and the most sensitive species. (Ref: Comm. Dept. of Health and Ageing, Office of Chemical Safety, 'ADI List', June 2014).</p>

Infosafe No™ 3NUAD	Issue Date : March 2015	ISSUED by NUFARMNZ
--------------------	-------------------------	--------------------

 Product Name **KAMBA® 500**

## 12. Ecological information

<b>Persistence and degradability</b>	Dicamba is not rapidly degradable.
<b>Environmental Fate</b>	In the soil, dicamba microbially degrades, the principal metabolite being 3,6-dichlorosalicylic acid. Under conditions amenable to rapid metabolism, DT50 <14 days. Koc = 2.
<b>Bioaccumulative Potential</b>	Dicamba and dimethylamine are not bioaccumulative.
<b>Known Harmful Effects on the Environment</b>	Dicamba products do not appear to pose any threat to birds.
<b>Other Precautions</b>	Do not contaminate dams, waterways or sewers with this product or the containers which have held this product. Spray drift can cause damage, read the label for more information.
<b>Environmental Protection</b>	
<b>Acute Toxicity - Fish</b>	LC50 (96h) for rainbow trout = 28mg/L for dicamba
<b>Acute Toxicity - Daphnia</b>	LC50 (48h) for daphnia = 110mg/L for dicamba LC50 (48h) for daphnia magna straus = 88.7mg/L for dimethylamine
<b>Acute Toxicity - Algae</b>	EC50 for Skeletonema costatum = 0.493mg ae/L for dicamba
<b>Acute Toxicity - Other Organisms</b>	LD50 for bobwhite quail = 188mg ae/kg for dicamba Not toxic to bees: LD50 >100µg/bee for dicamba EC25 (14d) for soyabean = 0.0017mg ai/kg soil for dicamba

## 13. Disposal considerations

<b>Product Disposal</b>	Dispose of product only by using according to the label, or at an approved landfill.
<b>Container Disposal</b>	Triple rinse empty container and add rinsate to spray tank. Recycle empty container. Otherwise crush and bury in a suitable landfill.

## 14. Transport information

<b>Transport Information</b>	It is good practice not to transport agricultural chemical products with food, food related materials and animal feedstuffs.
<b>U.N. Number</b>	3082
<b>UN proper shipping name</b>	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. - (dicamba, 50%)
<b>Transport hazard class(es)</b>	9
<b>Hazchem Code</b>	2X
<b>Packaging Method</b>	-
<b>Packing Group</b>	III
<b>EPG Number</b>	-
<b>IERG Number</b>	47
<b>IMO Marine Pollutant</b>	Yes. Environmentally Hazardous Substance mark required.
<b>IMDG EMS</b>	F-A, S-F
<b>Other Information</b>	Do not carry this product on a passenger service vehicle. Segregation: Check the latest Land Transport Rule Dangerous Goods Rule 45001 for additional information. Sea transport may require additional segregation. Refer NZS5433 sea segregation for details.

## 15. Regulatory information

<b>National and or International Regulatory Information</b>	Registered pursuant to the ACVM Act 1997, No. P5666 See <a href="http://www.foodsafety.govt.nz">www.foodsafety.govt.nz</a> for registration conditions Approved pursuant to the HSNO Act 1996, Approval Code HSR000442 See <a href="http://www.epa.govt.nz">www.epa.govt.nz</a> for approval controls.
<b>Packaging &amp; Labelling</b>	HARMFUL * ECOTOXIC - keep out of reach of children



# Safety Data Sheet

infosafe  
CS: 1.7.2

Page: 5 of 5

Infosafe No™ 3NUAD	Issue Date : March 2015	ISSUED by NUFARMNZ
--------------------	-------------------------	--------------------

Product Name **KAMBA® 500**

---

**Hazard Rating** NFPA/HMIS: 2-1-1  
**Systems**

---

## 16. Other Information

---

**Date of preparation** December 2008  
**or last revision of**  
**SDS**

**Contact Person/Point** IN AN EMERGENCY, DIAL 111 - FIRE OR POLICE  
24Hr Tollfree Emergency No: 0800 651 911  
24Hr Emergency No: National Poisons Centre Phone: 0800 764 766  
**Revisions** 5 yearly review carried out. Various changes and updates made to document.

**Highlighted**

...End Of MSDS...

© Copyright ACOHS Pty Ltd

Copyright in the source code of the HTML, PDF, XML, XFO and any other electronic files rendered by an Infosafe system for Infosafe MSDS displayed is the intellectual property of Acohs Pty Ltd.

Copyright in the layout, presentation and appearance of each Infosafe MSDS displayed is the intellectual property of Acohs Pty Ltd.  
The compilation of MSDS's displayed is the intellectual property of Acohs Pty Ltd.

Copying of any MSDS displayed is permitted for personal use only and otherwise is not permitted. In particular the MSDS's displayed cannot be copied for the purpose of sale or licence or for inclusion as part of a collection of MSDS without the express written consent of Acohs Pty Ltd.