

SAFETY DATA SHEET



OTHELLO OD

Version 1 / NZ
102000011533

1/10
Revision Date: 01.11.2017
Print Date: 01.11.2017

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Trade name OTHELLO OD
Product code (UVP) 06352391

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use Herbicide
EPA-Nr. HSR100005

1.3 Details of the supplier of the safety data sheet

Supplier Bayer New Zealand Limited
3 Argus Place, Hillcrest
Auckland 0627
New Zealand
Telephone 0800 428 246
Telefax (09) 441 8645

1.4 Emergency telephone no.

Emergency Number 0800 734 607 (24hr)
Global Incident Response Hotline (24h) +1 (760) 476-3964 (Company 3E for Bayer AG, Crop Science Division)

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Classified as hazardous according to the criteria in the Hazardous Substances (Minimum Degrees of Hazard) Regulations 2001

6.4A
H320 Causes eye irritation.
9.1A
H410 Very toxic to aquatic life with long lasting effects.
9.2A
H421 Very toxic to the soil environment.

2.2 Label elements

Labelling in accordance with Hazardous Substances Identification Regulations 2001

Hazard label for supply/use required.

SAFETY DATA SHEET



OTHELLO OD

Version 1 / NZ
102000011533

2/10
Revision Date: 01.11.2017
Print Date: 01.11.2017



Signal word: Warning

Hazard statements

H320 Causes eye irritation.
H410 Very toxic to aquatic life with long lasting effects.
H421 Very toxic to the soil environment.

Precautionary statements

P305 + P351 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
+ P338
P337 + P313 If eye irritation persists: Get medical advice/ attention.
P391 Collect spillage.
P501 Dispose of contents/container in accordance with local regulation.

2.3 Other hazards

No other hazards known.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2 Mixtures

Chemical nature

Oil dispersion (OD)
Diflufenican/Mesosulfuron-methyl/Iodosulfuron-methyl-sodium/Mefenpyr-diethyl 50:7.5:2.5:22.5 g/l

Hazardous components

Name	CAS-No.	Conc. [%]
Diflufenican	83164-33-4	5.21
Mesosulfuron-methyl, sodium salt	208465-19-4	0.82
Iodosulfuron-methyl-sodium	144550-36-7	0.29
Mefenpyr-diethyl	135590-91-9	2.35
Fatty alcohol ethoxylate alkyl ether	345642-79-7	> 2.50 – < 25.00
Solvent Naphtha (petroleum), light aromatic	64742-95-6	> 2.50 – < 25.00
Docosate sodium	577-11-7	> 5.00 – < 10.00
Calcium diformate	544-17-2	> 3.00 – < 10.00
White mineral oil	8042-47-5	> 10.00

Further information

Mesosulfuron-methyl, sodium salt	208465-19-4	M-Factor: 1,000 (acute)
Iodosulfuron-methyl-sodium	144550-36-7	M-Factor: 1,000 (acute)

SAFETY DATA SHEET



OTHELLO OD

Version 1 / NZ
102000011533

3/10

Revision Date: 01.11.2017
Print Date: 01.11.2017

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures

General advice	Move out of dangerous area. Place and transport victim in stable position (lying sideways). Remove contaminated clothing immediately and dispose of safely.
Inhalation	Move the victim to fresh air and keep at rest. If symptoms persist, call a physician.
Skin contact	Wash off thoroughly with plenty of soap and water, if available with polyethyleneglycol 400, subsequently rinse with water. Get medical attention if irritation develops and persists.
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Get medical attention if irritation develops and persists.
Ingestion	Do NOT induce vomiting. Rinse mouth. Call a physician or poison control center immediately.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms No symptoms known or expected.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment Treat symptomatically. Gastric lavage is not normally required. However, if a significant amount (more than a mouthful) has been ingested, administer activated charcoal and sodium sulphate.

Contact the National Poisons and Hazardous Chemicals Information center in Dunedin, PO Box 913, Dunedin. Phone 0800 POISON (0800 764 766).

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable	Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
Unsuitable	High volume water jet

5.2 Special hazards arising from the substance or mixture In the event of fire the following may be released: Hydrogen chloride (HCl), Hydrogen cyanide (hydrocyanic acid), Hydrogen fluoride, Hydrogen iodide (HI), Carbon monoxide (CO), Sulphur oxides, Nitrogen oxides (NOx)

5.3 Advice for firefighters

Special protective equipment for firefighters In the event of fire, wear self-contained breathing apparatus.

Further information Contain the spread of the fire-fighting media. Do not allow run-off from fire fighting to enter drains or water courses.

SAFETY DATA SHEET



OTHELLO OD

Version 1 / NZ
102000011533

4/10

Revision Date: 01.11.2017
Print Date: 01.11.2017

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Precautions Avoid contact with spilled product or contaminated surfaces. Use personal protective equipment. Remove all sources of ignition.

6.2 Environmental precautions Do not allow to get into surface water, drains and ground water.

6.3 Methods and materials for containment and cleaning up

Methods for cleaning up Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Clean contaminated floors and objects thoroughly, observing environmental regulations. Keep in suitable, closed containers for disposal.

6.4 Reference to other sections Information regarding safe handling, see section 7.
Information regarding personal protective equipment, see section 8.
Information regarding waste disposal, see section 13.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling

Advice on safe handling Use only in area provided with appropriate exhaust ventilation.

Advice on protection against fire and explosion Take measures to prevent the build up of electrostatic charge. Keep away from heat and sources of ignition.

Hygiene measures Avoid contact with skin, eyes and clothing. Keep working clothes separately. Wash hands before breaks and immediately after handling the product. Remove soiled clothing immediately and clean thoroughly before using again. Garments that cannot be cleaned must be destroyed (burnt).

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers Keep containers tightly closed in a dry, cool and well-ventilated place. Store in original container. Store in a place accessible by authorized persons only. Store bulk material and packed materials in a closed warehouse or under cover protected against direct sunlight and frost.

Advice on common storage Keep away from food, drink and animal feedingstuffs.

7.3 Specific end use(s) Refer to the label and/or leaflet.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Components	CAS-No.	Control parameters	Update	Basis
Diflufenican	83164-33-4	5.5 mg/m ³		OES BCS*

SAFETY DATA SHEET



OTHELLO OD

Version 1 / NZ
102000011533

5/10

Revision Date: 01.11.2017
Print Date: 01.11.2017

		(TWA)		
Mesosulfuron-methyl, sodium salt	208465-19-4	10 mg/m ³ (TWA)		OES BCS*
Iodosulfuron-methyl-sodium	144550-36-7	1 mg/m ³ (TWA)		OES BCS*
Mefenpyr-diethyl	135590-91-9	10 mg/m ³ (TWA)		OES BCS*
Solvent Naphtha (petroleum), light aromatic	64742-95-6	1,600 mg/m ³ /400 ppm (TWA)	02 2013	NZ OEL

*OES BCS: Internal Bayer AG, Crop Science Division "Occupational Exposure Standard"

8.2 Exposure controls

Personal protective equipment

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.

Respiratory protection

Wear respirator with an organic vapours and gas filter mask (protection factor 10) conforming to EN140 type A or equivalent.

Hand protection

Wear CE Marked (or equivalent) nitrile rubber gloves (minimum thickness of 0,4 mm). Wash when contaminated and dispose of when contaminated inside, when perforated or when contamination on the outside cannot be removed. Wash hands frequently and always before eating, drinking, smoking or using the toilet.

Eye protection

Wear goggles (conforming to EN166, Field of Use = 5 or equivalent).

Skin and body protection

Wear standard coveralls and Category 3 Type 6 suit. Wear two layers of clothing wherever possible. Polyester/cotton or cotton overalls should be worn under chemical protection suit and should be professionally laundered frequently.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Form	Liquid
Colour	light beige
Odour	aromatic
pH	6.7 - 7.5 at 10 % (23 °C) (deionized water)
Flash point	96 °C
Ignition temperature	320 °C
Density	ca. 0.96 g/cm ³ at 20 °C
Water solubility	emulsifiable
Partition coefficient: n-octanol/water	Mesosulfuron-methyl: log Pow: -0.48 Iodosulfuron-methyl-sodium: log Pow: -0.7 Diflufenican: log Pow: 4.2

SAFETY DATA SHEET



OTHELLO OD

Version 1 / NZ
102000011533

6/10

Revision Date: 01.11.2017
Print Date: 01.11.2017

	Mefenpyr-diethyl: log Pow: 3.83 at 21 °C
Viscosity, dynamic	50 - 300 mPa.s at 20 °C Velocity gradient 20 /s 40 - 150 mPa.s at 20 °C Velocity gradient 100 /s
Viscosity, kinematic	35 mm ² /s at 40 °C Shear rate of 100/sec 44 mm ² /s at 40 °C Shear rate of 20/sec
Oxidizing properties	No oxidizing properties
9.2 Other information	Further safety related physical-chemical data are not known.

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity

Thermal decomposition Stable under normal conditions.

10.2 Chemical stability Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions No hazardous reactions when stored and handled according to prescribed instructions. Stable under recommended storage conditions.

10.5 Incompatible materials Store only in the original container.

10.6 Hazardous decomposition products No decomposition products expected under normal conditions of use.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute oral toxicity LD50 (Rat) > 5,000 mg/kg

Acute dermal toxicity LD50 (Rat) > 4,000 mg/kg

Skin irritation No skin irritation (Rabbit)

Eye irritation Irritating to eyes. (Rabbit)

Sensitisation Non-sensitizing. (Guinea pig)
OECD Test Guideline 406, Buehler test

Assessment STOT Specific target organ toxicity – single exposure

Diflufenican: Based on available data, the classification criteria are not met.

Mesosulfuron-methyl: Based on available data, the classification criteria are not met.

Iodosulfuron-methyl-sodium: Based on available data, the classification criteria are not met.

Mefenpyr-diethyl: Based on available data, the classification criteria are not met.

Assessment STOT Specific target organ toxicity – repeated exposure

Diflufenican did not cause specific target organ toxicity in experimental animal studies.

Mesosulfuron-methyl did not cause specific target organ toxicity in experimental animal studies.

Iodosulfuron-methyl-sodium did not cause specific target organ toxicity in experimental animal studies.

SAFETY DATA SHEET



OTHELLO OD

Version 1 / NZ
102000011533

7/10

Revision Date: 01.11.2017
Print Date: 01.11.2017

Mefenpyr-diethyl did not cause specific target organ toxicity in experimental animal studies.

Assessment mutagenicity

Diflufenican was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.
Mesosulfuron-methyl was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.
Iodosulfuron-methyl-sodium was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.
Mefenpyr-diethyl was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.

Assessment carcinogenicity

Diflufenican was not carcinogenic in lifetime feeding studies in rats and mice.
Mesosulfuron-methyl was not carcinogenic in lifetime feeding studies in rats and mice.
Iodosulfuron-methyl-sodium was not carcinogenic in lifetime feeding studies in rats and mice.
Mefenpyr-diethyl was not carcinogenic in lifetime feeding studies in rats and mice.

Assessment toxicity to reproduction

Diflufenican did not cause reproductive toxicity in a two-generation study in rats.
Mesosulfuron-methyl did not cause reproductive toxicity in a two-generation study in rats.
Iodosulfuron-methyl-sodium did not cause reproductive toxicity in a two-generation study in rats.
Mefenpyr-diethyl did not cause reproductive toxicity in a two-generation study in rats.

Assessment developmental toxicity

Diflufenican did not cause developmental toxicity in rats and rabbits.
Mesosulfuron-methyl did not cause developmental toxicity in rats and rabbits.
Iodosulfuron-methyl-sodium did not cause developmental toxicity in rats and rabbits.
Mefenpyr-diethyl caused developmental toxicity only at dose levels toxic to the dams. The developmental effects seen with Mefenpyr-diethyl are related to maternal toxicity.

Further information

The toxicological data refer to a similar formulation.

SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity

Toxicity to fish	LC50 (Oncorhynchus mykiss (rainbow trout)) 13.5 mg/l Exposure time: 96 h
Toxicity to aquatic invertebrates	EC50 (Daphnia magna (Water flea)) 15.8 mg/l Exposure time: 48 h
Toxicity to aquatic plants	EC50 (Raphidocelis subcapitata (freshwater green alga)) 32 µg/l Growth rate; Exposure time: 72 h EC50 (Lemna gibba (gibbous duckweed)) 0.13 mg/l Growth rate; Exposure time: 7 d

12.2 Persistence and degradability

Biodegradability	Mesosulfuron-methyl: Not rapidly biodegradable Iodosulfuron-methyl-sodium: Not rapidly biodegradable Diflufenican: Not rapidly biodegradable Mefenpyr-diethyl:
-------------------------	--

SAFETY DATA SHEET



OTHELLO OD

Version 1 / NZ
102000011533

8/10

Revision Date: 01.11.2017
Print Date: 01.11.2017

Not rapidly biodegradable

Koc Mesosulfuron-methyl: Koc: 92
Iodosulfuron-methyl-sodium: Koc: 45
Diflufenican: Koc: 3417
Mefenpyr-diethyl: Koc: 625

12.3 Bioaccumulative potential

Bioaccumulation Mesosulfuron-methyl:
Does not bioaccumulate.
Iodosulfuron-methyl-sodium:
Does not bioaccumulate.
Diflufenican: Bioconcentration factor (BCF) 1,596
Does not bioaccumulate.
Mefenpyr-diethyl: Bioconcentration factor (BCF) 232
Does not bioaccumulate.

12.4 Mobility in soil

Mobility in soil Mesosulfuron-methyl: Moderately mobile in soils
Iodosulfuron-methyl-sodium: Mobile in soils
Diflufenican: Slightly mobile in soils
Mefenpyr-diethyl: Slightly mobile in soils

12.5 Results of PBT and vPvB assessment

PBT and vPvB assessment Mesosulfuron-methyl: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB).
Iodosulfuron-methyl-sodium: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB).
Diflufenican: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB).
Mefenpyr-diethyl: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB).

12.6 Other adverse effects

Additional ecological information The ecological data refer to a similar formulation.

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Product Dispose of this product only by using according to the label, or at an approved landfill or other approved facility.

Contaminated packaging Triple rinse containers. Recycle if possible. If allowed under local authority, burn if circumstances, especially wind direction permit, otherwise crush and bury in an approved local authority facility. Do not use container for any other purpose.

SAFETY DATA SHEET



OTHELLO OD

Version 1 / NZ
102000011533

9/10
Revision Date: 01.11.2017
Print Date: 01.11.2017

SECTION 14: TRANSPORT INFORMATION

This transportation information is not intended to convey all specific regulatory information relating to this product. It does not address regulatory variations due to package size or special transportation requirements.

ADR/RID/ADN

14.1 UN number	3082
14.2 Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (MESOSULFURON; POLYGLYCOLETHER SOLUTION)
14.3 Transport hazard class(es)	9
14.4 Packing group	III
14.5 Environm. Hazardous Mark	YES
Hazchem Code	3Z

IMDG

14.1 UN number	3082
14.2 Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (MESOSULFURON; POLYGLYCOLETHER SOLUTION)
14.3 Transport hazard class(es)	9
14.4 Packing group	III
14.5 Marine pollutant	YES

IATA

14.1 UN number	3082
14.2 Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (MESOSULFURON; POLYGLYCOLETHER SOLUTION)
14.3 Transport hazard class(es)	9
14.4 Packing group	III
14.5 Environm. Hazardous Mark	YES

14.6 Special precautions for user

See sections 6 to 8 of this Safety Data Sheet.

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

No transport in bulk according to the IBC Code.

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Further information

HSNO approval-Nr.	HSR100005
HSNO Controls	See www.epa.govt.nz
ACVM Reg.	P8168
ACVM Condition	See www.foodsafety.govt.nz

SAFETY DATA SHEET



OTHELLO OD

Version 1 / NZ
102000011533

10/10

Revision Date: 01.11.2017
Print Date: 01.11.2017

SECTION 16: OTHER INFORMATION

Abbreviations and acronyms

ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute toxicity estimate
CAS-Nr.	Chemical Abstracts Service number
Conc.	Concentration
ECx	Effective concentration to x %
EINECS	European inventory of existing commercial substances
ELINCS	European list of notified chemical substances
EN	European Standard
EU	European Union
IATA	International Air Transport Association
IBC	International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk (IBC Code)
ICx	Inhibition concentration to x %
IMDG	International Maritime Dangerous Goods
LCx	Lethal concentration to x %
LDx	Lethal dose to x %
LOEC/LOEL	Lowest observed effect concentration/level
MARPOL	MARPOL: International Convention for the prevention of marine pollution from ships
N.O.S.	Not otherwise specified
NOEC/NOEL	No observed effect concentration/level
OECD	Organization for Economic Co-operation and Development
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
TWA	Time weighted average
UN	United Nations
WHO	World health organisation

The data given here is based on current knowledge and experience. The purpose of this Safety Data Sheet is to describe products in terms of their safety requirements. The above details do not imply any guarantee concerning composition, properties or performance of the product.

Changes since the last version are highlighted in the margin. This version replaces all previous versions.