

# SAFETY DATA SHEET



## Proline

Version 1 / NZ  
102000008022

1/10

Revision Date: 19.09.2017  
Print Date: 28.09.2017

---

### SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1 Product identifier

Trade name Proline  
Product code (UVP) 05863929

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Use Fungicide  
EPA-Nr. HSR001661

#### 1.3 Details of the supplier of the safety data sheet

Supplier Bayer New Zealand Limited  
3 Argus Place, Hillcrest  
Auckland 0627  
New Zealand  
Telephone 0800 428 246  
Telefax (09) 441 8645

#### 1.4 Emergency telephone no.

Emergency Number 0800 734 607 (24hr)  
Global Incident Response Hotline (24h) +1 (760) 476-3964 (Company 3E for Bayer AG, Crop Science Division)

---

### SECTION 2: HAZARDS IDENTIFICATION

#### 2.1 Classification of the substance or mixture

Classified as hazardous according to the criteria in the Hazardous Substances (Minimum Degrees of Hazard) Regulations 2001

6.4A  
H320 Causes eye irritation.

6.9B  
H373 May cause damage to organs through prolonged or repeated exposure.

9.1B  
H411 Toxic to aquatic life with long lasting effects.

#### 2.2 Label elements

Labelling in accordance with Hazardous Substances Identification Regulations 2001

Hazard label for supply/use required.

# SAFETY DATA SHEET



## Proline

Version 1 / NZ  
10200008022

2/10

Revision Date: 19.09.2017  
Print Date: 28.09.2017



**Signal word:** Warning

### Hazard statements

H320 Causes eye irritation.  
H373 May cause damage to organs through prolonged or repeated exposure.  
H411 Toxic to aquatic life with long lasting effects.

### Precautionary statements

P260 Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.  
P337 + P313 If eye irritation persists: Get medical advice/ attention.  
P391 Collect spillage.  
P314 Get medical advice/ attention if you feel unwell.  
P501 Dispose of contents/container in accordance with local regulation.

### 2.3 Other hazards

No other hazards known.

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

### 3.2 Mixtures

#### Chemical nature

Emulsifiable concentrate (EC)  
Prothioconazole 250 g/l

#### Hazardous components

Name	CAS-No.	Conc. [%]
Prothioconazole	178928-70-6	25,00
N,N-Dimethyl decanamide	14433-76-2	> 20,00
2-[2-(1-chlorocyclopropyl)-2-hydroxy-3-phenylpropyl]-2,4-dihydro-1,2,4-triazole-3-thione		> 0,1 – < 1

#### Further information

Prothioconazole	178928-70-6	M-Factor: 10 (acute)
		M-Factor: 10 (chronic)

## SECTION 4: FIRST AID MEASURES

### 4.1 Description of first aid measures

#### General advice

Move out of dangerous area. Place and transport victim in stable position (lying sideways). Remove contaminated clothing immediately and dispose of safely.

# SAFETY DATA SHEET



## Proline

Version 1 / NZ  
102000008022

3/10

Revision Date: 19.09.2017  
Print Date: 28.09.2017

---

<b>Inhalation</b>	Move to fresh air. Keep patient warm and at rest. Call a physician or poison control center immediately.
<b>Skin contact</b>	Wash off thoroughly with plenty of soap and water, if available with polyethyleneglycol 400, subsequently rinse with water. Get medical attention if irritation develops and persists.
<b>Eye contact</b>	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Get medical attention if irritation develops and persists.
<b>Ingestion</b>	Do NOT induce vomiting. Call a physician or poison control center immediately. Rinse mouth.

### 4.2 Most important symptoms and effects, both acute and delayed

**Symptoms** No symptoms known or expected.

### 4.3 Indication of any immediate medical attention and special treatment needed

**Treatment** Treat symptomatically. In case of ingestion gastric lavage should be considered in cases of significant ingestions only within the first 2 hours. However, the application of activated charcoal and sodium sulphate is always advisable. There is no specific antidote.

Contact the National Poisons and Hazardous Chemicals Information center in Dunedin, PO Box 913, Dunedin. Phone 0800 POISON (0800 764 766).

---

## SECTION 5: FIREFIGHTING MEASURES

### 5.1 Extinguishing media

**Suitable** Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

**Unsuitable** High volume water jet

**5.2 Special hazards arising from the substance or mixture** In the event of fire the following may be released: Hydrogen chloride (HCl), Hydrogen cyanide (hydrocyanic acid), Carbon monoxide (CO), Sulphur oxides, Nitrogen oxides (NO<sub>x</sub>)

### 5.3 Advice for firefighters

**Special protective equipment for firefighters** In the event of fire and/or explosion do not breathe fumes. In the event of fire, wear self-contained breathing apparatus.

**Further information** Contain the spread of the fire-fighting media. Do not allow run-off from fire fighting to enter drains or water courses.

---

# SAFETY DATA SHEET



## Proline

Version 1 / NZ  
10200008022

4/10

Revision Date: 19.09.2017  
Print Date: 28.09.2017

### SECTION 6: ACCIDENTAL RELEASE MEASURES

#### 6.1 Personal precautions, protective equipment and emergency procedures

**Precautions** Avoid contact with spilled product or contaminated surfaces. Use personal protective equipment.

**6.2 Environmental precautions** Do not allow to get into surface water, drains and ground water.

#### 6.3 Methods and materials for containment and cleaning up

**Methods for cleaning up** Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Clean contaminated floors and objects thoroughly, observing environmental regulations. Keep in suitable, closed containers for disposal.

**6.4 Reference to other sections** Information regarding safe handling, see section 7.  
Information regarding personal protective equipment, see section 8.  
Information regarding waste disposal, see section 13.

### SECTION 7: HANDLING AND STORAGE

#### 7.1 Precautions for safe handling

**Advice on safe handling** Use only in area provided with appropriate exhaust ventilation.

**Advice on protection against fire and explosion** No special precautions required.

**Hygiene measures** Avoid contact with skin, eyes and clothing. Keep working clothes separately. Wash hands before breaks and immediately after handling the product. Remove soiled clothing immediately and clean thoroughly before using again. Garments that cannot be cleaned must be destroyed (burnt).

#### 7.2 Conditions for safe storage, including any incompatibilities

**Requirements for storage areas and containers** Store in original container. Keep containers tightly closed in a dry, cool and well-ventilated place. Store in a place accessible by authorized persons only. Protect from frost. Keep away from direct sunlight.

**Advice on common storage** Keep away from food, drink and animal feedingstuffs.

**Suitable materials** HDPE (high density polyethylene)

**7.3 Specific end use(s)** Refer to the label and/or leaflet.

### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1 Control parameters

Components	CAS-No.	Control parameters	Update	Basis
Prothioconazole	178928-70-6	1,4 mg/m <sup>3</sup> (SK-ABS)		OES BCS*

# SAFETY DATA SHEET



## Proline

Version 1 / NZ  
10200008022

5/10

Revision Date: 19.09.2017  
Print Date: 28.09.2017

---

\*OES BCS: Internal Bayer AG, Crop Science Division "Occupational Exposure Standard"

### 8.2 Exposure controls

#### Personal protective equipment

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.

#### Respiratory protection

Wear respirator with an organic vapours and gas filter mask (protection factor 10) conforming to EN140 type A or equivalent. Respiratory protection should only be used to control residual risk of short duration activities, when all reasonably practicable steps have been taken to reduce exposure at source e.g. containment and/or local extract ventilation. Always follow respirator manufacturer's instructions regarding wearing and maintenance.

#### Hand protection

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time.

Wash gloves when contaminated. Dispose of when contaminated inside, when perforated or when contamination on the outside cannot be removed. Wash hands frequently and always before eating, drinking, smoking or using the toilet.

Material	Nitrile rubber
Rate of permeability	> 480 min
Glove thickness	> 0,4 mm
Protective index	Class 6
Directive	Protective gloves complying with EN 374.

#### Eye protection

Wear goggles (conforming to EN166, Field of Use = 5 or equivalent).

#### Skin and body protection

Wear standard coveralls and Category 3 Type 6 suit.

If there is a risk of significant exposure, consider a higher protective type suit.

Wear two layers of clothing wherever possible. Polyester/cotton or cotton overalls should be worn under chemical protection suit and should be professionally laundered frequently.

If chemical protection suit is splashed, sprayed or significantly contaminated, decontaminate as far as possible, then carefully remove and dispose of as advised by manufacturer.

---

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

### 9.1 Information on basic physical and chemical properties

Form	Liquid, clear to slightly turbid
Colour	tan
Odour	aromatic
pH	5,0 - 6,0 at 1 % (23 °C) (deionized water)
Flash point	152 °C
Ignition temperature	340 °C

# SAFETY DATA SHEET



## Proline

Version 1 / NZ  
102000008022

6/10

Revision Date: 19.09.2017  
Print Date: 28.09.2017

---

<b>Density</b>	ca. 1,00 g/cm <sup>3</sup> at 20 °C
<b>Partition coefficient: n-octanol/water</b>	Prothioconazole: log Pow: 3,82 at 20 °C at pH 7 N,N-Dimethyldecanamide: log Pow: 2,46
<b>Viscosity, kinematic</b>	35,1 mm <sup>2</sup> /s at 40 °C
<b>Surface tension</b>	29,9 mN/m at 20 °C
<b>Explosivity</b>	Not explosive 92/69/EEC, A.14 / OECD 113
<b>9.2 Other information</b>	Further safety related physical-chemical data are not known.

---

## SECTION 10: STABILITY AND REACTIVITY

### 10.1 Reactivity

**Thermal decomposition** Stable under normal conditions.

**10.2 Chemical stability** Stable under recommended storage conditions.

**10.3 Possibility of hazardous reactions** No hazardous reactions when stored and handled according to prescribed instructions.

**10.4 Conditions to avoid** Extremes of temperature and direct sunlight.

**10.5 Incompatible materials** Store only in the original container.

**10.6 Hazardous decomposition products** No decomposition products expected under normal conditions of use.

---

## SECTION 11: TOXICOLOGICAL INFORMATION

### 11.1 Information on toxicological effects

**Acute oral toxicity** LD50 (Rat) > 2.500 mg/kg

**Acute inhalation toxicity** LC50 (Rat) > 5 mg/l  
Exposure time: 4 h  
Highest attainable concentration.  
Determined in the form of a respirable aerosol.

Irritating to respiratory system.  
The value mentioned relates to N,N-dimethylacetamide.

**Acute dermal toxicity** LD50 (Rat) > 4.000 mg/kg

**Skin irritation** No skin irritation (Rabbit)  
Test conducted with a similar formulation.

**Eye irritation** Irritating to eyes. (Rabbit)  
Test conducted with a similar formulation.

**Sensitisation** Non-sensitizing. (Guinea pig)

# SAFETY DATA SHEET



## Proline

Version 1 / NZ  
102000008022

7/10

Revision Date: 19.09.2017  
Print Date: 28.09.2017

OECD Test Guideline 406, Buehler test  
Test conducted with a similar formulation.

### Assessment STOT Specific target organ toxicity – single exposure

Prothioconazole: Based on available data, the classification criteria are not met.

N,N-Dimethyldecan-1-amide: May cause respiratory irritation.

### Assessment STOT Specific target organ toxicity – repeated exposure

Prothioconazole did not cause specific target organ toxicity in experimental animal studies.

N,N-Dimethyldecanamide did not cause specific target organ toxicity in experimental animal studies.

### Assessment mutagenicity

Prothioconazole was not mutagenic or genotoxic based on the overall weight of evidence in a battery of in vitro and in vivo tests.

N,N-Dimethyldecanamide was not genotoxic in a battery of in vitro tests.

### Assessment carcinogenicity

Prothioconazole was not carcinogenic in lifetime feeding studies in rats and mice.

N,N-Dimethyldecanamide is not considered carcinogenic.

### Assessment toxicity to reproduction

Prothioconazole caused reproduction toxicity in a two-generation study in rats only at dose levels also toxic to the parent animals. The reproduction toxicity seen with Prothioconazole is related to parental toxicity.

N,N-Dimethyldecanamide is not considered a reproductive toxicant at non-maternally toxic dose levels.

### Assessment developmental toxicity

Prothioconazole caused developmental toxicity only at dose levels toxic to the dams. The developmental effects seen with Prothioconazole are related to maternal toxicity.

N,N-Dimethyldecanamide did not cause developmental toxicity in rats and rabbits.

### Aspiration hazard

Based on available data, the classification criteria are not met.

---

## SECTION 12: ECOLOGICAL INFORMATION

### 12.1 Toxicity

<b>Toxicity to fish</b>	LC50 (Oncorhynchus mykiss (rainbow trout)) 4,02 mg/l Exposure time: 96 h
<b>Toxicity to aquatic invertebrates</b>	EC50 (Daphnia magna (Water flea)) 2,9 mg/l Exposure time: 48 h
<b>Toxicity to aquatic plants</b>	EC50 (Raphidocelis subcapitata (freshwater green alga)) 12,7 mg/l Growth rate; Exposure time: 72 h EC50 (Skeletonema costatum) 0,046 mg/l Growth rate; Exposure time: 72 h The value mentioned relates to the active ingredient prothioconazole. NOEC (Skeletonema costatum) 0,0073 mg/l Growth rate; Exposure time: 72 h

# SAFETY DATA SHEET



## Proline

Version 1 / NZ  
10200008022

8/10

Revision Date: 19.09.2017  
Print Date: 28.09.2017

The value mentioned relates to the active ingredient prothioconazole.

### 12.2 Persistence and degradability

<b>Biodegradability</b>	Prothioconazole: Not rapidly biodegradable N,N-Dimethyldecanamide: rapidly biodegradable
<b>Koc</b>	Prothioconazole: Koc: 1765

### 12.3 Bioaccumulative potential

<b>Bioaccumulation</b>	Prothioconazole: Bioconcentration factor (BCF) 19 Does not bioaccumulate. N,N-Dimethyldecanamide: Does not bioaccumulate.
------------------------	--

### 12.4 Mobility in soil

<b>Mobility in soil</b>	Prothioconazole: Slightly mobile in soils N,N-Dimethyldecanamide: Slightly mobile in soils
-------------------------	---

### 12.5 Results of PBT and vPvB assessment

<b>PBT and vPvB assessment</b>	Prothioconazole: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB). N,N-Dimethyldecanamide: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB).
--------------------------------	---

### 12.6 Other adverse effects

<b>Additional ecological information</b>	No other effects to be mentioned.
--	-----------------------------------

---

## SECTION 13: DISPOSAL CONSIDERATIONS

### 13.1 Waste treatment methods

<b>Product</b>	Dispose of this product only by using according to the label, or at an approved landfill or other approved facility.
<b>Contaminated packaging</b>	Triple rinse containers. Recycle if possible. If allowed under local authority, burn if circumstances, especially wind direction permit, otherwise crush and bury in an approved local authority facility. Do not use container for any other purpose.

---

## SECTION 14: TRANSPORT INFORMATION

This transportation information is not intended to convey all specific regulatory information relating to this product. It does not address regulatory variations due to package size or special transportation requirements.

**ADR/RID/ADN**  
14.1 UN number

**3082**



# SAFETY DATA SHEET



## Proline

Version 1 / NZ  
10200008022

9/10

Revision Date: 19.09.2017  
Print Date: 28.09.2017

14.2 Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,  
N.O.S.  
(PROTHIOCONAZOLE SOLUTION)  
14.3 Transport hazard class(es) 9  
14.4 Packing group III  
14.5 Environm. Hazardous Mark YES  
Hazchem Code 3Z

### IMDG

14.1 UN number **3082**  
14.2 Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,  
N.O.S.  
(PROTHIOCONAZOLE SOLUTION)  
14.3 Transport hazard class(es) 9  
14.4 Packing group III  
14.5 Marine pollutant YES

### IATA

14.1 UN number **3082**  
14.2 Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,  
N.O.S.  
(PROTHIOCONAZOLE SOLUTION )  
14.3 Transport hazard class(es) 9  
14.4 Packing group III  
14.5 Environm. Hazardous Mark YES

### 14.6 Special precautions for user

See sections 6 to 8 of this Safety Data Sheet.

### 14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

No transport in bulk according to the IBC Code.

---

## SECTION 15: REGULATORY INFORMATION

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

#### Further information

HSNO approval-Nr. HSR001661  
HSNO Controls See [www.epa.govt.nz](http://www.epa.govt.nz)  
ACVM Reg. P7250  
ACVM Condition See [www.foodsafety.govt.nz](http://www.foodsafety.govt.nz)

---

## SECTION 16: OTHER INFORMATION

### Abbreviations and acronyms

ADN European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways  
ADR European Agreement concerning the International Carriage of Dangerous Goods by Road

# SAFETY DATA SHEET



## Proline

Version 1 / NZ  
102000008022

10/10

Revision Date: 19.09.2017  
Print Date: 28.09.2017

ATE	Acute toxicity estimate
CAS-Nr.	Chemical Abstracts Service number
Conc.	Concentration
ECx	Effective concentration to x %
EINECS	European inventory of existing commercial substances
ELINCS	European list of notified chemical substances
EN	European Standard
EU	European Union
IATA	International Air Transport Association
IBC	International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk (IBC Code)
ICx	Inhibition concentration to x %
IMDG	International Maritime Dangerous Goods
LCx	Lethal concentration to x %
LDx	Lethal dose to x %
LOEC/LOEL	Lowest observed effect concentration/level
MARPOL	MARPOL: International Convention for the prevention of marine pollution from ships
N.O.S.	Not otherwise specified
NOEC/NOEL	No observed effect concentration/level
OECD	Organization for Economic Co-operation and Development
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
TWA	Time weighted average
UN	United Nations
WHO	World health organisation

The data given here is based on current knowledge and experience. The purpose of this Safety Data Sheet is to describe products in terms of their safety requirements. The above details do not imply any guarantee concerning composition, properties or performance of the product.

Changes since the last version are highlighted in the margin. This version replaces all previous versions.